



## OPTIONS

### Top

- stainless steel (Aisi 304)

### Casing

- soft wood
- hardwood of European origin
- hard wood (oil finish)
- premium hard wood
- carbon steel (s235Jr)
- stainless steel (Aisi 304)
- HPL

### Methods of installation

- attached by bolts to foundation

### Container

- none
- 120L

## DESCRIPTION

The bin is designed to be used together with a standard 120 L plastic, "wheelie" bin (provided by the user) as an inner bin.

Salver 03.068 is a modern style and functional litter bin. It was designed especially for the food courts. For this reason it has a special place for the trays at the top part of construction. Lateral handles protect food trays from sliding out or falling on the floor. Salver litter bin is made from the highest quality materials, such as stainless steel and timber (pine, spruce or exotic wood). Of course, our clients can also choose from other materials, like carbon steel and special innovative panels – Trespa or Corian. Trespa panels meet the toughest standards in terms of creative expression, safety and durability. Trespa is a fire resistant material, which also has inherent...





wymiary podano w [cm]

## GENERAL TECHNICAL DATA

### Dimensions

- width: 65 cm
- height: 107 cm
- depth: 65 cm

### Weight

- 60 kg

### Materials

- sheet steel
- metallurgical profile

ZANO



Product: Salver litter bin  
 Catalog number: **03.068**  
 Designer: Tomasz Szpytma

In accordance with the Polish Law on Copyright and Related Rights of 04.02.1994 (Official Journal of Laws No. 24, item 83, corrected: Journal of Laws No. 43, item 170) and in accordance with the EU copyright legislation including all EU directives and regulations on copyright, Zano Mirosław Zarotynski Company, reserves the copyright of drawings, descriptions, 3D models, renderings, graphics, content contained in offers, attachments to offers and all other documents. Its content is the intellectual property of ZANO Mirosław Zarotynski company. The use of author's ideas, solutions, copying, distribution of photos, graphics or fragments of graphics, descriptive texts, for profit, without the permission of the author - ZANO Mirosław Zarotynski company - is prohibited and constitutes a copyright infringement and is punishable.

**NOTE: The drawings do not reflect the actual dimensions of the foundation. They are only exemplary assembly schemes taking into account the type of anchoring and the substrate material to which the furniture is to be fixed.**

The size of the foundation depends on the local foundation conditions.



### INSTALLATION INTO PAVING WITH FOUNDATION

#### Description of the assembly

1. ZANO product
2. Quick-action fastener or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approx. 2 - 4 cm)
5. Stone aggregate substructure
6. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
7. Ground



### INSTALLATION TO PAVING

#### Description of the assembly

1. ZANO product
2. Quick-action fastener or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approx. 2 - 4 cm)
5. Stone aggregate substructure
6. Ground



### CONCRETE / ASPHALT MOUNTING

#### Description of the assembly

1. ZANO product
2. Quick-action fastener or chemical anchor
3. Fixed hardened surface e.g. concrete or asphalt
4. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
5. Stone aggregate substructure
6. Sand ballast (approx. 2 - 4 cm)
7. Ground



### MOUNTING TO CONCRETE FOUNDATION

#### Description of the assembly

1. ZANO product
2. Quick-action fastener or chemical anchor
3. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
4. Ground