

## OPTIONS

---

### Methods of installation

- embedded in concrete

### Rack size

- 3
- 4
- 5
- 6
- 7

## DESCRIPTION

---

The 05.056.1 cycle stand provides cyclists with an ideal solution to safely secure and store bicycles whilst not in use. Presented model was made in steel, in a full range of standard RAL palette colours. Modern contemporary style of the 05.056.1 bicycle rack is offered to complement any landscape. This model was designed especially to meet both the functional requirements and aesthetics of any scheme. 05.056.1 bicycle parking is a single-sided model with spaces from three to even seven bicycles. ZANO model is ideally suited to the particular demands of busy squares and pedestrian zones as well as leisure areas and bus stations.

## GENERAL TECHNICAL DATA

## Dimensions

- width: 42 cm
- length: 200 cm
- height from ground surface: 83 cm
- height with anchoring section: 143 cm



## Materials

- steel tubes
- steel bars

ZANO



Product: Bicycle Rack  
 Catalog number:  
**05.056.1.SN**  
 Designer: Tomasz Szpytma



In accordance with the Polish Law on Copyright and Related Rights of 04.02.1994 (Official Journal of Laws No. 24, item 83, corrected: Journal of Laws No. 43, item 170) and in accordance with the EU copyright legislation including all EU directives and regulations on copyright, Zano Mirosław Zarotynski Company, reserves the copyright of drawings, descriptions, 3D models, renderings, graphics, content contained in offers, attachments to offers and all other documents. Its content is the intellectual property of ZANO Mirosław Zarotynski company. The use of author's ideas, solutions, copying, distribution of photos, graphics or fragments of graphics, descriptive texts, for profit, without the permission of the author - ZANO Mirosław Zarotynski company - is prohibited and constitutes a copyright infringement and is punishable.

**NOTE: The drawings do not reflect the actual dimensions of the foundation. They are only exemplary assembly schemes taking into account the type of anchoring and the substrate material to which the furniture is to be fixed.**

The size of the foundation depends on the local foundation conditions.



### INSTALLATION INTO PAVING WITH FOUNDATION

**Description of the assembly**


1. ZANO product
2. Stone paving / concrete paving / stone slabs / concrete slabs
3. Sand ballast (approx. 2 - 4 cm)
4. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
5. Ground



### MOUNTING TO CONCRETE FOUNDATION

**Description of the assembly**

1. ZANO product
2. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
3. Ground



### MOUNTING TO CONCRETE FOUNDATION

**Description of the assembly**

1. ZANO product
2. Fixed hardened surface e.g. concrete or asphalt
3. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
4. Stone aggregate substructure
5. Sand ballast (approx. 2 - 4 cm)
6. Ground