PILA BOLLARD 01.075 ZANO STREET FURNITURE





OPTIONS

Methods of installation

- o embedded in concrete
- attached by bolts to foundation


Fence mounts

- single sided
- double sided
- none

DESCRIPTION

This bollard represents a modern line of the ZANO Street Furniture. It is made of **satin polished stainless steel**-durable and low maintenance material. This model can be used at sidewalk locations where vehicles attempting to park are demaging sidewalks, plants. This bollard can be easily installed and surely will be an excellent choice for your location.

PILA BOLLARD 01.075 ZANO STREET FURNITURE



GENERAL TECHNICAL DATA

Dimensions

- height from ground surface: 100 cm - height with anchoring section: 140 cm

Materials


- steel tube


ZANO


In accordance with the Polish Law on Copyright and Related Rights of 04.02.1994 (Offcial Journal of Laws No. 24, item 83, corrected: Journal of Laws No. 43, item 170) and in accordance with the EU copyright legislation including all EU directives and regulations on copyright, Zano Mirosław Zarotynski Company, reserves the copyright of drawings, descriptions, 3D models, renderings, graphics, content contained in offers, attachments to offers and all other documents. Its content is the intellectual property of ZANO Miroslaw Zarotinski company. The use of author's ideas, solutions, copying, distribution of photos, graphics or fragments of graphics, descriptive texts, for profit, without the permission of the author - ZANO Mirosław Zarotynski company - is prohibited and constitutes a copyright infringement and is punishable.


NOTE: The drawings do not reflect the actual dimensions of the foundation. They are only exemplary assembly schemes taking into account the type of anchoring and the substrate material to which the furniture is to be fixed.

The size of the foundation depends on the local foundation conditions.









INSTALLATION INTO PAVING WITH FOUNDATION

Description of the assembly

- 1. ZANO product
- 2. Quick-action fastener or chemical anchor
- **3.** Stone paving / concrete paving / stone slabs / concrete slabs
- 4. Sand ballast (approx. 2 4 cm)
- 5. Stone aggregate substructure
- Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
- **7.** Ground

INSTALLATION TO PAVING

Description of the assembly

- 1. ZANO product
- 2. Quick-action fastener or chemical anchor
- 3. Stone paving / concrete paving / stone slabs / concrete slabs
- **4.** Sand ballast (approx. 2 4 cm)
- 5. Stone aggregate substructure
- 6. Ground

CONCRETE / ASPHALT MOUNTING

Description of the assembly

- 1. ZANO product
- 2. Quick-action fastener or chemical anchor
- **3.** Fixed hardened surface e.g. concrete or asphalt
- Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
- **5.** Stone aggregate substructure
- 6. Sand ballast (approx. 2 4 cm)
- **7.** Ground


MOUNTING TO CONCRETE FOUNDATION


Description of the assembly


- 1. ZANO product
- 2. Quick-action fastener or chemical anchor
- 3. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
- 4. Ground

NOTE: The drawings do not reflect the actual dimensions of the foundation. They are only exemplary assembly schemes taking into account the type of anchoring and the substrate material to which the furniture is to be fixed.

The size of the foundation depends on the local foundation conditions.







INSTALLATION INTO PAVING WITH FOUNDATION

Description of the assembly

- 1. ZANO product
- 2. Stone paving / concrete paving / stone slabs / concrete slabs
- 3. Sand ballast (approx. 2 4 cm)
- 4. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
- 5. Ground

MOUNTING TO CONCRETE FOUNDATION

Description of the assembly

- 1. ZANO product
- Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
- 3. Ground

MOUNTING TO CONCRETE FOUNDATION

Description of the assembly

- 1. ZANO product
- 2. Fixed hardened surface e.g. concrete or asphalt
- 3. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
- **4.** Stone aggregate substructure
- 5. Sand ballast (approx. 2 4 cm)
- 6. Ground