

**OPTIONS**

**Methods of installation**

- free-standing
- attached by bolts to foundation

**Container**




- none

**DESCRIPTION**

The Altus 15.254.4 recycling bin is a two-chamber external bin for separated waste. The bin has no internal inserts and its walls are made of acrylic, so when using transparent bags we have a better view of the waste inside. This is a protection resulting from certain anti-terrorist and anti-bombing standards. The frame of the bin is made of steel flat bars. We can choose between stainless steel or carbon steel painted in the RAL colour indicated by the customer.

We have more bins from the Altus line. You can choose from a variety of bins with walls made of steel, wood, HPL board and architectural concrete.





## GENERAL TECHNICAL DATA

### Capacity

- number of containers: 2 pcs
- capacity of one container: 50 l

### Materials

- profiles in stainless steel or optionally in painted carbon steel
- walls - acrylic glass (Plexiglas)

### Dimensions

- width: 76 cm
- height: 102 cm
- depth: 38 cm

ZANO



Product: Recycling bin Altus  
 Catalog number: 15.252.4  
 Designer: Iwona Żaczek

In accordance with the Polish Law on Copyright and Related Rights of 04.02.1994 (Official Journal of Laws No. 24, item 83, corrected: Journal of Laws No. 43, item 170) and in accordance with the EU copyright legislation including all EU directives and regulations on copyright, Zano Mirosław Zarotynski Company, reserves the copyright of drawings, descriptions, 3D models, renderings, graphics, content contained in offers, attachments to offers and all other documents. Its content is the intellectual property of ZANO Mirosław Zarotynski company. The use of author's ideas, solutions, copying, distribution of photos, graphics or fragments of graphics, descriptive texts, for profit, without the permission of the author - ZANO Mirosław Zarotynski company - is prohibited and constitutes a copyright infringement and is punishable.

td>

**NOTE: The drawings do not reflect the actual dimensions of the foundation. They are only exemplary assembly schemes taking into account the type of anchoring and the substrate material to which the furniture is to be fixed.**

The size of the foundation depends on the local foundation conditions.



### INSTALLATION INTO PAVING WITH FOUNDATION

#### Description of the assembly

1. ZANO product
2. Quick-action fastener or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approx. 2 - 4 cm)
5. Stone aggregate substructure
6. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
7. Ground



### INSTALLATION TO PAVING

#### Description of the assembly

1. ZANO product
2. Quick-action fastener or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approx. 2 - 4 cm)
5. Stone aggregate substructure
6. Ground



### CONCRETE / ASPHALT MOUNTING

#### Description of the assembly

1. ZANO product
2. Quick-action fastener or chemical anchor
3. Fixed hardened surface e.g. concrete or asphalt
4. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
5. Stone aggregate substructure
6. Sand ballast (approx. 2 - 4 cm)
7. Ground



### MOUNTING TO CONCRETE FOUNDATION

#### Description of the assembly

1. ZANO product
2. Quick-action fastener or chemical anchor
3. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
4. Ground