



OPTIONS

Methods of installation

attached by bolts to foundation

Logo

- none
- o etching in stainless steel
- cut in steel
- sticker


DESCRIPTION

The KANGU station is used for emergency repair and maintenance of bicycles. It also includes a low-pressure washer and a set of brushes specialised for cleaning specific parts of the bike. The station is made of high quality stainless steel.

Welded and bolted construction from 5mm, 3mm, 1.5mm thick stainless steel sheets 1.4301 ground. At the top of the station there is a bike rack - two 4.2 x 2.6 cm stainless steel tubes, 45 cm long. At the rear of the station there is a bicycle stand made of stainless steel rods with a diameter of 14 mm. All brush fittings (cables) that are part of the station are made of stainless steel. In the basic version, the station is equipped with a set of brushes and tools for washing the bicycle and a timer button, which activates water when pressed. In addition, the station can be equipped with a timer tap for filling water bottles. All elements of urban furniture must be properly anchored according to the manufacturer's technical instructions. The manufacturer is not liable for damage caused by negligent use or failure to follow instructions.

Tools included:

- hand pump; compatible with Presta and Schreder valves
- screwdriver; stainless steel Phillips and flathead
- spanners; stainless steel;...



GENERAL TECHNICAL DATA

Dimensions

- width: 68 cm - height: 135 cm - depth: 95 cm

Materials

- construction - stainless steel

ZANO



Product:

Kangu bicycle washing and repair station Catalog number: **18.004.7**

Designer: Filip Babiarz

In accordance with the Polish Law on Copyright and Related Rights of 04.02.1994 (Official Journal of Laws No. 24, item 83, corrected: Journal of Laws No. 43, item 170) and in accordance with the EU copyright legislation including all EU directives and regulations on copyright, Zano Mirosław Zarotynski Company, reserves the copyright of drawings, descriptions, 3D models, renderings, graphics, content contained in offers, attachments to offers and all other documents. Its content is the intellectual property of ZANO Mirosław Zarotinski company. The use of author's ideas, solutions, copying, distribution of photos, graphics or fragments of graphics, descriptive texts, for profit, without the permission of the author - ZANO Mirosław Zarotynski company - is prohibited and constitutes a copyright infringement and is punishable.

NOTE: The drawings do not reflect the actual dimensions of the foundation. They are only exemplary assembly schemes taking into account the type of anchoring and the substrate material to which the furniture is to be fixed.

The size of the foundation depends on the local foundation conditions.









INSTALLATION INTO PAVING WITH FOUNDATION

Description of the assembly

- 1. ZANO product
- 2. Quick-action fastener or chemical anchor
- 3. Stone paving / concrete paving / stone slabs / concrete slabs
- 4. Sand ballast (approx. 2 4 cm)
- 5. Stone aggregate substructure
- Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
- **7.** Ground

INSTALLATION TO PAVING

Description of the assembly

- 1. ZANO product
- 2. Quick-action fastener or chemical anchor
- 3. Stone paving / concrete paving / stone slabs / concrete slabs
- **4.** Sand ballast (approx. 2 4 cm)
- 5. Stone aggregate substructure
- 6. Ground

CONCRETE / ASPHALT MOUNTING

Description of the assembly

- 1. ZANO product
- 2. Quick-action fastener or chemical anchor
- **3.** Fixed hardened surface e.g. concrete or asphalt
- Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
- **5.** Stone aggregate substructure
- 6. Sand ballast (approx. 2 4 cm)
- **7.** Ground

MOUNTING TO CONCRETE FOUNDATION

Description of the assembly

- 1. ZANO product
- 2. Quick-action fastener or chemical anchor
- 3. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
- 4. Ground